



KunShan Adhesive Package International Co., Ltd

Add: 1504, No.9, Lane 231, Lvdi Road, Huaqiao Town, Kunshan, Jiangsu Province, China.



Tel:86 021 69781176 Fax:86 021 69781175

www.adhesive-pack.com Email:adhesive.package@gmail.com

CATALOGUE

KunShan Adhesive Package International Co., Ltd is the professional exporter who specializes in exporting single-component injection pumps, two-component injection pumps, aluminum packers, high-pressure pipes and other related accessories etc.to worldwide. such as USA, Germany, Denmark, Russia, Singapore, Korea, Spain, Brazil etc. Our products are widely used in subway, tunnels, culverts, sewage treatment pond, basements, underground garage, underground passage, roof concrete slab cracks, wall pipe, wall, the water leakage cracks in concrete, concrete structure, beam, column, slab cracks etc with high pressure grouting injecting epoxy resin.







Injection Pumps

Item No.	Picture	Technical Datas	
Item-500 Injection Pump (one-component)		The Maximum output pressure	11000psi
		The Second Start-up Pressure	8500psi
		High-pressure pipe's Maximum Burst pressure	10000psi
		The Safty range of Switch Valve	10000psi
		Flow	0 - 0.8L/min
		Motor Driver	220V/560W/50HZ
Item-512 Injection Pump (one-component)		The Maximum output pressure	10000psi
		The Second Start-up Pressure	7500psi
		High-pressure pipe's Maximum Burst pressure	10000psi
		The Safty range of Switch Valve	10000psi
		Flow	0 - 0.7L/min
		Motor Driver	220V/500W/50HZ

Item-600 Injection Pump (one-component)		The Maximum output pressure	12000psi
		The Second Start-up Pressure	8500psi
		High-pressure pipe's Maximum Burst pressure	13000psi
		The Safty range of Switch Valve	13000psi
		Flow	0 - 0.8L/min
		Motor Driver	220V/560W/50HZ
Item-800 Injection Pump (Bi-component)		The Output pressure	0 - 6000psi (0-400kg/cm2)
		The alertness Output Pressure	:8000psi (550kg/cm2)
		High-pressure pipe's Working Pressure	0 - 6000psi (0-400kg/cm2)
		Switch Valve's Working Pressure	0 - 6000psi (0-400kg/cm2)
		Flow	0 - 0.8L/min
		The range of Speed Regulation	1500 - 10000psi (100-700kg/cm2)
		Motor Driver	220V/560W/50HZ
Item-999 Injection Pump (one-component)		The Maximum output pressure	13500psi
		The Second Start-up Pressure	10000psi
		High-pressure pipe's Maximum Burst pressure	15000psi
		The Safty range of Switch Valve	18000psi
		Flow	0~1.5L/min
		Motor Driver	220V/650W/50HZ






Accessories-----Injection Packers

Item No.	Picture	Description
A8 (13*80mm)		Packing:500pcs/ctn Weight:12kg/ctn Carton Size:12cm*34cm*27cm

Aluminum Injection Packers	A10 (13*100mm)		Packing:500pcs/ctn Weight:12.5kg/ctn Carton Size:12cm*34cm*27cm
	A15 (13*150mm)		Packing:500pcs/ctn Weight:15.5kg/ctn Carton Size:12cm*34cm*27cm
	A20(13*200mm)		Packing:500pcs/ctn Weight:18kg/ctn Carton Size:33cm*20cm*25cm
	A25 (13*250mm)		Packing:500pcs/ctn Weight:22kg/ctn Carton Size:41cm*20cm*25cm
	A30(13*300mm)		Packing:500pcs/ctn Weight24.6kg/ctn Carton Size:32cm*26cm*31cm
	B8 (10*80mm)		Packing:1000pcs/ctn Weight:12kg/ctn Carton Size:31cm*29cm*20cm




	B10 (10*80mm)		Packing:1000pcs/ctn Weight:23.6kg/ctn Carton Size:31cm*29cm*20cm
--	---------------	---	---

Accessories-----Pistons of Pump

Item No.	Picture	Suitable Injection Pump
Piston of Pump		For Item-512 Injection Pump
		For Item-500 Injection Pump
		Item-600 Injection Pump
		For Item-999 Injection Pump
		For Item-800 Injection Pump

Accessories of Pump

		
<p>Rubber ring for zerk</p>	<p>Rubber ring for zerk</p>	<p>Seal ring</p>

		
<p>High-pressure Pipe of Injection Pump</p>	<p>Connector for injection machine</p>	<p>High pressure gauge</p>